


# Batch wise removal of Congo Red Dye from its aqueous solution: Using Raphanus sativus peel as an Adsorbent



Present study deals with the removal of Congo red through adsorption from its aqueous solution on Raphanus sativus peel. The basic purpose of this study is to evaluate low cost adsorbent for dye removal. Being carcinogen Congo red is hazardous and toxic. Batch wise removal were executed in order to estimate the effects of a various experimental parameters like Mesh size, adsorbent dose, contact time, temperature, agitation speed and pH. Adsorbent was treated with 0.1M HCl and 0.1M NaOH. Similar experimental parameters were performed for these acid and base treated adsorbents. Comparative study revealed that acid treated is the adsorbent. However, pH factor showed maximum percentage of adsorption in U.T.B. Langmuir and Freundlich Isothermal model were used to explain the equilibrium for these adsorption processes. Study revealed that adsorption followed Langmuir model for A.T.B and B.T.B whereas freundlich model for U.T.B. The adsorption capacity was 0.06, 0.24 and 0.12 mg/g for untreated, acid and base treated respectively. The maximum capacity observed for A.T.B in Langmuir isotherm. So, acid treated Raphanus Sativus peel are potential adsorbents for Congo red removal.

Emajin Shopping cart is empty      SEARCH: CATEGORIES Living Room Furniture Leather sofas Fabric/Micro Fiber Sofa Sets Sectional sofas Sofa beds Leather Recliner Coffee Tables Massage Chairs Modern Sofas Modern Chairs/Chaise Lounges Theatre Seating Traditional Sofa Sets Color Chart Bedroom Furniture Modern Leather/Fabric Beds Wooden/MDF Beds Nightstands Study Room Furniture Armoires & Wardrobe Color Chart Mattress Traditional Solid Wood Bed Modern Solid Wood Bed Set Outdoor/Patio Furniture Rattan Garden Table Set Rattan Compact Tables Sets Rattan Sofa Sets /Chairs Wooden outdoor furniture Rattan Beach chair & chairs Rattan Outdoor Bed Dining Room Furniture Glass Dining Sets Dining Chairs Dining Tables Pub/Bar Tables and Set Other Dining Room Buffets & Sideboar Bar Stools Wooden Dining Sets Childs Furniture Kids Bedroom Furniture Bunk Beds Kids Chairs/Sofas Child Beds Baby Furniture & Chairs Wardrobe/NightStands Office Furniture Office Chairs Office Desk    New Arrivals Rattan Lounge Chair \$0.00 Add to cart Rattan Bed \$0.00 Add to cart Rattan Bar Set \$0.00 Add to cart Rattan Lounge Chair \$0.00 Add to cart Rattan Compact Table Set \$0.00 Add to cart Rattan Bar Set \$0.00 Add to cart Rattan Lounge Chair \$0.00 Add to cart Rattan Lounge Chair \$0.00 Add to cart Rattan Lounge Chair \$0.00 Add to cart Rattan Sofa Set \$0.00 Add to cart Rattan Sofa Set \$0.00 Add to cart Rattan Dining Set \$0.00 Add to cart Rattan Dining Set \$0.00 Add to cart Rattan Sofa Set \$0.00 Add to cart © 2017 emajinimports.com. All rights reserved. Website & Hosting by: Advanced Services

[\[PDF\] Look on the Bright Side \(Little World Social Skills\)](#)

[\[PDF\] Datenanalyse für Naturwissenschaftler und Ingenieure: Mit statistischen Methoden und Java-Programmen \(German Edition\)](#)

[\[PDF\] Technical Mathematics, 4th Edition and Technical Mathematics with Calculus, 4th Edition Student Solutions Manual](#)

[\[PDF\] Disappearing Act](#)

[\[PDF\] A Sound Like Someone Trying Not to Make a Sound](#)

[\[PDF\] Certified Reliability Leader Uptime Elements Passport Series: Integrity](#)

[\[PDF\] Lillis World: The Story of How the Boys Built a Boat](#)

**Resultados de la búsqueda por adsorbant - MoreBooks!** 9783659116261 - Batch Wise Removal of Congo Red Dye from Its Aqueous Solution: Using Raphanus Sativus Peel as an Adsorbent by Abbas, Aadil Murtaza, **Batch wise removal of Congo Red Dye from its aqueous solution** Dec 15, 2016 Comparative Removal of Congo Red Dye from Water by Adsorption on The adsorption process is carried out batch wise by using different concentrations of the aqueous dye solution with different adsorbent doses, agitation rate, varying Keywords: Raphanus sativus peels, Grewia asiatica leaves, **Batch wise removal of Congo Red Dye from its aqueous solution** May 1, 2012 Batch wise removal of Congo Red Dye from its aqueous solution, Adsorbent was treated with 0.1M HCl and 0.1M NaOH. Similar So, acid treated Raphanus Sativus peel are potential adsorbents for Congo red removal. **9783659116261 - Batch Wise Removal of Congo Red Dye from Its** : Batch wise removal of Congo Red Dye from its aqueous solution: Using Raphanus sativus peel as an Adsorbent (9783659116261) by Abbas, **Search results for Susan Wise Wise - MoreBooks!** May 1, 2012 Batch wise removal of Congo Red Dye from its aqueous solution, Adsorbent was treated with 0.1M HCl and 0.1M NaOH. Similar So, acid treated Raphanus Sativus peel are potential adsorbents for Congo red removal. **NEW Batch Wise Removal Of Congo Red Dye From Its BOOK - eBay** Batch wise removal of Congo Red Dye from its aqueous solution, 978-3-659-11626-1, Adsorbent was treated with 0.1M HCl and 0.1M NaOH. Similar So, acid treated Raphanus Sativus peel are potential adsorbents for Congo red removal. **Comparative study of Brilliant Green dye adsorption from water by** The adsorption process is carried out batch wise by using different concentrations of the aqueous dye solution with different adsorbent doses, at a range of initial **Batch wise removal of Congo Red Dye from its aqueous solution** Grewia asiatica Leaves, Raphanus sativus Peels and Activated Charcoal The adsorption process is carried out batch wise by using. different concentrations of the aqueous dye solution with different adsorbent doses, agitation rate, than Raphanus sativus peels for removing congo red dye from water and its efficiency **Resultados de la búsqueda por isotherm - MoreBooks!** May 1, 2012 Batch wise removal of Congo Red Dye from its aqueous solution, 978-3-659-11626-1, Using Raphanus sativus peel as an Adsorbent. **Batch wise removal of Congo Red Dye from its aqueous solution** Batch wise removal of Congo Red Dye from its aqueous solution. Using Raphanus sativus peel as an Adsorbent. Quimica LAP LAMBERT Academic Publishing **Comparative Removal of Congo Red Dye from** - May 2, 2012 Batch Wise Removal of Congo Red Dye from Its Aqueous Solution Adsorbent was treated with 0.1M HCl and 0.1M NaOH. Similar So, acid treated Raphanus Sativus peel are potential adsorbents for Congo red removal. **Comparative Removal of Congo Red Dye from** - The suitability of the adsorbent for using it is tested by fitting the adsorption data on It can be used for removing Congo Red dye from waste water. of Raphanus scale for treatment of colored effluents in batch wise sativus peels (R.P), . Fig.5: Effect of initial pH of dye solution using Raphanus sativus peels (R.P), Grewia **Batch wise removal of Congo Red Dye from its aqueous solution** **NEW Batch Wise Removal Of Congo Red Dye From Its..** Present study deals with the removal of Congo red through adsorption from its aqueous solution on Raphanus sativus peel. Adsorbent was treated with 0.1M HCl and 0.1M NaOH. **Batch wise removal of Congo Red Dye from its aqueous solution** Batch wise removal of Congo Red Dye from its aqueous solution: Using Raphanus Raphanus Sativus peel are potential adsorbents for Congo red removal. **Batch Wise Removal of Congo Red Dye from Its Aqueous Solution** Buy Batch wise removal of Congo Red Dye from its aqueous solution: Using Raphanus sativus peel as an Adsorbent on ? FREE SHIPPING on **Batch wise removal of Congo Red Dye from its aqueous solution af** May 1, 2012 Batch wise removal of Congo Red Dye from its aqueous solution, 978-3-659-11626-1, Using Raphanus sativus peel as an Adsorbent. **Batch wise removal of Congo Red Dye from its aqueous solution** The suitability of the adsorbent for using it is tested by fitting the adsorption data on It can be used for removing Congo Red dye from waste water. of Raphanus scale for treatment of colored effluents in batch wise sativus peels (R.P), . Fig.5: Effect of initial pH of dye solution using Raphanus sativus peels (R.P), Grewia **Comparative Removal of Congo Red Dye from** - removal of Congo red through adsorption from its aqueous

solution on Raphanus sativus peel. The basic purpose of this study is to evaluate low cost adsorbent for dye removal. Synopsis: Present study deals with the removal of Congo. **NEW Batch Wise Removal Of Congo Red Dye From Its BOOK** Empirical Study Using Different Models Batch wise removal of Congo Red Dye from its aqueous solution. Using Raphanus sativus peel as an Adsorbent. Batch wise removal of Congo Red Dye from its aqueous solution: Using Raphanus sativus peel as an Adsorbent. by Aadil Abbas, Shahzad Murtaza, Kashif **Batch wise removal of Congo Red Dye from its aqueous solution** 1. maj 2012 Batch wise removal of Congo Red Dye from its aqueous solution with the removal of Congo red through adsorption from its aqueous solution on So, acid treated Raphanus Sativus peel are potential adsorbents for Congo **NEW Batch Wise Removal Of Congo Red Dye From Its BOOK - eBay** Removal of Cr(VI) from aqueous Solution Batch wise removal of Congo Red Dye from its aqueous solution. Using Raphanus sativus peel as an Adsorbent. **Batch Wise Removal of Congo Red Dye from Its Aqueous Solution** May 1, 2012 Batch wise removal of Congo Red Dye from its aqueous solution, 978-3-659-11626-1, Using Raphanus sativus peel as an Adsorbent. **Batch wise removal of Congo Red Dye from its aqueous solution** May 1, 2012 Batch wise removal of Congo Red Dye from its aqueous solution, Adsorbent was treated with 0.1M HCl and 0.1M NaOH. Similar So, acid treated Raphanus Sativus peel are potential adsorbents for Congo red removal. **Academic paper: Comparative Removal of Congo Red Dye from** Jan 5, 2012 Batch wise removal of Congo Red Dye from its aqueous solution. Marketed Adsorbent was treated with 0.1M HCl and 0.1M NaOH. So, acid treated Raphanus Sativus peel are potential adsorbents for Congo red removal. **Batch wise removal of Congo Red Dye from its aqueous solution** May 2, 2012 Batch Wise Removal of Congo Red Dye from Its Aqueous Solution by Aadil Abbas, red through adsorption from its aqueous solution on Raphanus sativus peel. Adsorbent was treated with 0.1M HCl and 0.1M NaOH. **Batch wise removal of Congo Red Dye from its aqueous solution** Batch wise removal of Congo Red Dye from its aqueous solution von Aadil Abbas, Shahzad . Adsorbent was treated with 0.1M HCl and 0.1M NaOH. So, acid treated Raphanus Sativus peel are potential adsorbents for Congo red removal.

sellwithwelch.com

rentlondonflats-bedrooms.com

thor-fireworks.com

thegoatsports.com

shoptheoutdoorstore.com

gazetereyonu.com

happysmilegifts.com

tahdnews.com

magdyaly.com